

# Ocean Disclosure Project 2015



Key					
Midwater trawl		Hook and lines		Long lines	
Fishery name and location	Fishing gear used	Certification or FIP	Category	Environmental notes	
<b>Antarctic krill</b> Atlantic Southern Ocean Antarctica 			Certified	No direct impact on PET species. This fish plays an important role in the marine food web and so potential impacts on the wider marine ecosystem must be monitored. No impact on the benthic habitat.	
<b>Atlantic menhaden</b> North-West Atlantic United States 			Certified	No direct impact on PET species. This fish plays an important role in the marine food web and so potential impacts on the wider marine ecosystem must be monitored. No impact on the benthic habitat.	
<b>European sprat</b> North Sea European Union 			Certified	No direct impact on PET species. This fish plays an important role in the marine food web and so potential impacts on the wider marine ecosystem must be monitored. No impact on the benthic habitat.	

\*Please refer to the FishSource website for further information: [www.fishsource.org](http://www.fishsource.org)

Fishery name and location	Fishing gear used	Certification or FIP	Category	Environmental notes	
<b>Gulf menhaden</b> Gulf of Mexico United States 		Certified		 No direct impact on PET species.  This fish plays an important role in the marine food web and so potential impacts on the wider marine ecosystem must be monitored.  No impact on the benthic habitat.	 <b>Bycatch</b>
<b>Araucanian herring</b> Chilean Chile 		FIP rating is D, fishery is certified		 No direct impact on PET species.  This fish plays an important role in the marine food web and so potential impacts on the wider marine ecosystem must be monitored.  No impact on the benthic habitat.	 <b>Protected, endangered &amp; threatened (PET) species</b>
<b>Lesser sand-eel</b> Central Eastern North sea European Union 		Certified		 Bycatch is considered low in this fishery.  Sandeel is an important prey species for a variety of predators, including fish, marine mammals and seabirds. Fishing on sandeel has been found to affect some surface feeding bird species, especially kittiwake and sandwich tern  Bottom trawls impact the benthic habitat.	 <b>Wider food web</b>
<b>Anchoveta</b> Chilean regions III and IV (2) Chile 		Certified		 No direct impact on PET species.  This fish plays an important role in the marine food web and so potential impacts on the wider marine ecosystem must be monitored.  No impact on the benthic habitat.	 <b>Bottom trawls</b>
<b>Anchoveta</b> Peruvian Northern Central stock Peru 		Certified		 No direct impact on PET species.  This fish plays an important role in the marine food web and so potential impacts on the wider marine ecosystem must be monitored.  No impact on the benthic habitat.	 <b>Dredge</b>

\*Please refer to the FishSource website for further information: [www.fishsource.org](http://www.fishsource.org)

Fishery name and location	Fishing gear used	Certification or FIP	Category	Environmental notes	
<b>Capelin</b> Icelandic Iceland 		Certified		 No direct impact on PET species.  This fish plays an important role in the marine food web and so potential impacts on the wider marine ecosystem must be monitored.  No impact on the benthic habitat.	 Bycatch  Protected, endangered & threatened (PET) species  Midwater trawl  Gillnets  Hook and lines  Pots and traps  Long lines  Bottom trawls  Dredge  Seine nets  Purse seine
<b>Boarfish</b> North-East Atlantic (2) European Union 		Certified		 No direct impact on PET species.  This fish plays an important role in the marine food web and so potential impacts on the wider marine ecosystem must be monitored.  No impact on the benthic habitat.	 Wider food web  Benthic habitat  General notes
<b>Lesser sand-eel</b> Central Western North Sea (2) European Union 		Certified		 Bycatch is considered low in this fishery.  Sandeel is an important prey species for a variety of predators, including fish, marine mammals and seabirds. Fishing of sandeel has been found to affect some surface feeding bird species, especially kittiwake and sandwich tern.  Bottom trawls impact the benthic habitat.	
<b>Lesser sand-eel</b> Shetland (2) European Union 		Certified		 Bycatch is considered low in this fishery.  Sandeel is an important prey species for a variety of predators, including fish, marine mammals and seabirds. Fishing of sandeel has been found to affect some surface feeding bird species, especially kittiwake and sandwich tern.  Bottom trawls impact on the benthic habitat.	

\*Please refer to the FishSource website for further information: [www.fishsource.org](http://www.fishsource.org)

Fishery name and location	Fishing gear used	Certification or FIP	Category	Environmental notes		
<b>Blue whiting</b> North-East Atlantic EU, Iceland, Faroes, Norway    		Certified		 No direct impact on PET species.  This fish plays an important role in the marine food web and so potential impacts on the wider marine ecosystem must be monitored.  No impact on the benthic habitat.		
<b>Norway pout</b> North Sea European Union 		Certified		 No direct impact on PET species.  This fish plays an important role in the marine food web and so potential impacts on the wider marine ecosystem must be monitored.  No impact on the benthic habitat.		
<b>European pilchard</b> Northwest Africa Southern stock Morocco, Mauretania, Senegal   		Certified		 No direct impact on PET species.  This fish plays an important role in the marine food web and so potential impacts on the wider marine ecosystem must be monitored.  No impact on the benthic habitat.		
<b>Lesser sand-eel</b> South-East North Sea European Union 		Certified		 Bycatch is considered low in this fishery.  Sandeel is an important prey species for a variety of predators, including fish, marine mammals and seabirds. Fishing on sandeel has been found to affect some surface feeding bird species, especially kittiwake and sandwich tern  Bottom trawls impact on the seabed.		

\*Please refer to the FishSource website for further information: [www.fishsource.org](http://www.fishsource.org)

Fishery name and location	Fishing gear used	Certification or FIP	Category	Environmental notes	
<b>Lesser sand-eel</b> Dogger Bank area European Union 		Certified		 Bycatch is considered low in this fishery.  Sandeel is an important prey species for a variety of predators, including fish, marine mammals and seabirds. Fishing of sandeel has been found to affect some surface feeding bird species, especially kittiwake and sandwich tern.  Bottom trawls impact the benthic habitat.	 <b>Bycatch</b>
<b>Anchoveta</b> Chilean regions xv-i-ii / Southern Peruvian stock Chile/Peru  		Certified		 No direct impact on PET species.  This fish plays an important role in the marine food web and so potential impacts on the wider marine ecosystem must be monitored.  No impact on the benthic habitat.	 <b>Protected, endangered &amp; threatened (PET) species</b>
<b>European pilchard</b> Northwest Africa central stock Morocco, Mauretania, Senegal   		N/A		 No direct impact on PET species.  This fish plays an important role in the marine food web and so potential impacts on the wider marine ecosystem must be monitored.  No impact on the benthic habitat.	 <b>Wider food web</b>
<b>Capelin</b> Barents Sea Russia/Norway  		Certified		 No direct impact on PET species.  This fish plays an important role in the marine food web and so potential impacts on the wider marine ecosystem must be monitored.  No impact on the benthic habitat.	 <b>Bottom trawls</b>
<b>Anchoveta</b> Chilean regions V-X Chile 		Certified		 No direct impact on PET species.  This fish plays an important role in the marine food web and so potential impacts on the wider marine ecosystem must be monitored.  No impact on the benthic habitat.	 <b>Seine nets</b>
					 <b>Purse seine</b>
					 <b>General notes</b>

\*Please refer to the FishSource website for further information: [www.fishsource.org](http://www.fishsource.org)

Fishery name and location	Fishing gear used	Certification or FIP	Category	Environmental notes	
<b>Lesser sand-eel</b> Kattegat (2) European Union 		Certified		 Bycatch is considered low in this fishery.  Sandeel is an important prey species for a variety of predators, including fish, marine mammals and seabirds. Fishing of sandeel has been found to affect some surface feeding bird species, especially kittiwake and sandwich tern.  Bottom trawls impact on the seabed.	 Bycatch
<b>Lesser sand-eel</b> Viking and Bergen Banks (2) European Union 		N/A		 Bycatch is considered low in this fishery.  Sandeel is an important prey species for a variety of predators, including fish, marine mammals and seabirds. Fishing of sandeel has been found to affect some surface feeding bird species, especially kittiwake and sandwich tern.  Bottom trawls impact on the seabed.	 Protected, endangered & threatened (PETO) species
				*Please refer to the FishSource website for further information: <a href="http://www.fishsource.org">www.fishsource.org</a>	
					 Wider food web
					 Benthic habitat
					 General notes